

TROUBLESHOOTING NETSCAPE NAVIGATOR

The Netscape Navigator web browser is the second most popular web browser. This document will guide you through the process of installing the SatDirect proxy settings onto the browser.

Troubleshooting Step 1: Setting up the Proxy Settings.

A. The first step in setting up the web browser is to open up Netscape Navigator. Once the browser has been opened, click on the **Edit** tab at the top of the browser, and select the **Preferences...** button as shown in Figure 1-1.




Figure 1-1

B. Once the **Preferences...** button has been selected the window appearing in Figure 1-2 will appear.




Figure 1-2

Select the **Advanced** Tab, and then select the **Proxies** option in the submenu as shown in Figure 1-3.




Figure 1-3

C. Once the Proxies submenu option has been selected; select the Manual proxy configuration bullet. Beside the **HTTP Proxy**, type in the proxy address of **127.0.0.1**. The port will be 9202. The same proxy address of **127.0.0.1** will be typed in for **SSL Proxy** and **SOCKS Host**. For **SSL Proxy** the port will be Port **9202**, while for **SOCKS Host**, the port will be **9203**. Once completed your proxy settings will appear just like Figure 1-4.




Figure 1-4

D. Click the OK button. The Netscape Navigator web browser is now configured to surf over the SatDirect proxy to receive the satellite broadband. It is strongly recommended, that once the proxy settings have been made, the computer be restarted.